Index

Aberrations, 182
Absorbing pigment in cutoff bifocals, 236, 237
AC/A ratio, and spectacle lenses, 98
Accommodation
  in distance seeing, 196
  measured by cross cylinder, 150–151
Accuracy in measurement, 108
  and bias, 109
Acuity, visual
  calculation of, 63
  decreased in amblyopia, 156
  distance, refraction for, 59
  recording of, 62
  symmetrical, 78
  testing, 66
Adds
  bifocal, 68
  binocular, 71
  calculating strength of, 63
  diopters related to visual acuity, 64
  fabricated vs. effective, 94, 95, 96
  high plus for reading, 61
  less than 20 D, aids for, 70–71
  in monocular prescriptions, 66–67
  reading, 230–231
Adisco Illuminated Magnifier, 26
Age, for fitting children's contact lenses, 165
Agfa Loupe, 26
Aids. *See also* Reading aids
  for add greater than 20 D, 71, 74
  choice of, 70–74
  prescriptions for three acuity groups, 72–73
  success or failure of, 75–76
Airy, use of cylinder lens in astigmatism, 131
Albino, 60
  child with hyperopia, case history, 22
Amblyopia
  deprivation, acceptance of blurred images, 158
  refractive, defined, 156
  prevention of, 160–165
Amblyopic patients, examination of, 61
American Optical Corporation, 65, 89, 186, 193, 195, 196, 230
  Aolite aspheric lenses, 71
  5X Projection Magnifier, 30
Ametropes, spectacle-corrected, accommodative requirements, 99
Ametropia
  and correct cylinder axis, 140
  narrowness of image, 127
  optical components in, 5–8
  retinal image in, 125
Ametropic differential in accommodative requirements, 98
Anatomical variations related to function, 1
Anesthesia, general, for infant contact lens fitting, 165
Angle of incidence, varying with curvatures, 188–189
Angle of view
  and area of lens, 198, 199
  and distortion, 219
Aniseikonia
  defined, 85
  lens-induced, 83, 86
  spectacle lens design in, 81–89
  true, 87

Anisometropia, 156
  defined, 85
  detection in infant, 161
  low-level, 87
  occlusion of preferred eye, 166
  presbyopic, 86
  prism imbalance in, 251
  and refractive amblyopia, 158
  spectacle lens design in, 81–89
  with strabismus, 159
Anisophoria, induced, 85
AO Phoropter, 149
Aphakia
  and bifocals, 70–71
  monocular, 85–86
  and plus lenses, 171
Aphakic children, 60
Aphakic correction, front surface bifocal additions, 94–97
Aphakic patient
  contact lens correction in, 163
  single vision lens for close work, 251
  small lenses for, 216
Aphakic prescriptions, aspherics for, 213
Appearance, in selection of cataract lens, 214, 216
Approaching limits, technique of, 121
Area of lens, strong vs. weak prescriptions, 198
Ary loupe, 67
Asthenopia, 85
Ast, as label for astigmatism, 192
Astigmatic dials, 112
Astigmatic Simultantest, 147
Astigmatic systems, images in, 128
Astigmatism
  anisometropic, 85, 86
  anisometropic oblique, against the rule, 90
  bilateral oblique, 85, 87–89
  of cataract lens, 211
  compound hyperopic, 152
  determination of axis, cross cylinder in, 132
  and difference in magnification, 82
  high aphakic, 94
  image formation in, 158
  oblique, 86
  presence determined by cross cylinder, 152–153
  from prismatic deviation, 188
  secondary, 140
  spectacle lens design in, 81–89
  tertiary, 142, 144, 152
  and toric lenses, 175, 176
  true axis of, 140, 144
  unequal, 159
Automation of grinding process, 223
Axial length(s)
  in ametropia, 8
  computation of, 2
  during periods of eye growth, 9, 10, 11
  individual variations, 14–15
  inhibition of elongation, 17
  normal and anomalous, 11
  related to refracting system, 3
Axis determination, theory of, 134–145

Back vertex power, 27, 90
Base curves, 195
  and fitting distance, 207
  nominal vs. true, 226–228
  and prescription notation, 179
  steep, with round segment, 250
Bausch & Lomb, 195, 230
  charts, 62
  hand lens, 69
  trial sets, 65
Bell-shaped curve. *See* Curve, gaussian
Best Form Lens, 89, 195–196
Bias in measurement, 108–110
  subjective and objective refraction, 112
Biased technique, curves of, 110
Bifocal segments
  fused prismatic, 253, 254
  selection, principal problems of, 247

types, 229
Bifocals, 229–238
binocular, 71
coated segment. *See* Absorbing pigment in cutoff bifocals
cutoff type, 236
polishing of, 237
double segment, 255–257
functional differences, 238–247
fused, 230
appearance of, 231
production of, 234–238
round segment, 235
straight top type, 235
minus cylinder form of, 178
obtaining reading power in, 230
one-piece, 229–230
full-field straight top, 238
prism effect, 239
prismatic, 253–255
production of, 232–234
performance, summary of, 247
preparation for, in minus cylinder lenses, 201
prism segment, 251–255
for school children, 78
small segment, 232–233
straight top full-field, 230
toric surface in, 225
types of, guide to selection, 245, 246
Binocular corrections, 24, 67
Binocular spatial perception
distortion with spectacle lenses, 81, 84
symptoms presented, 84
errors in, 87
Blanks, 225–226
Blindness, 58
Blurring and prismatic deviation, 188
Brain damage, organic, 77

Calipers, lens thickness, 92
Cataract, congenital unilateral, contact lens correction, 163–164
Cataract bifocals
optimum segment, 250
performance, 247–251
Cataract lenses, 209–214
aspheric fronts matched to concave curves, 212
eyewire and center of rotation distances, 204
one-piece lenticular, 233
performance of reading segments, 249–251
planoconvex vs. base spherical and aspheric, 212, 213
reading adds, 249
toric, cylinder component of, 211
types of, 214–218
unedged, 214, 215
Centering in lens design, 185
importance of matching with angle, 209
Charts in selection of aids, 62
Childhood, amblyopia as problem of, 155
Childhood phase of eye growth, 10–11
Children. *See also* Infant; Newborn
cataract surgery in, 164
changes in refraction and components, 16
examination of, 76–78
and partial sight, 58
residual vision, 75
and retinoscopy, 161
and television viewer, 31
test for hyperopic errors, 163
Circinate retinopathy, 76
Clinical facts, initial, in examination, 60–61
Clinical practice, statistical aspects of, 110–114
Close work, single vision lenses for, 251
Compensations in front base curves, 228
Components
optical, range, mean, and standard deviation, 6–7
of refraction, binomial distribution of powers of, 2–3

Concave lenses. *See* Lens(es), concave; Lens(es), minus
Conjugacy, 117–119
Contact lens correction in infancy, 161
Contact lenses
  corneal, 81
  as correction of choice, 101
  as form of occlusion, 164
  in refractive amblyopia, 163–165
  soft, for children, 165
Contour discrimination, 156
Convergence vectors, schematic illustration, 100
Convex lenses. *See* Lens(es), convex; Lens(es), plus
Cornea, powers of, 2
  decrease during growth, 10
Corneal reflex method for taking near P.D., 249
Correcting cylinder, 133
Correlation, significance in emmetropia and ametropia, 9
Cosmetic effect of minus cylinder lenses, 201
Countersink, 234
Crisp, W. H., 132
Cross cylinder, 131
  diagram of 0.25 D, 142
  and secondary astigmatism, 141, 144
  in secondary position, 141, 143
  spherical component of, 132
  technique, combined with other techniques, 151–152
Curvature
  at bifocal reading point, 229–230
  specification table, 89
Curve(s)
  distribution, of refraction, 4, 5
  gaussian, 105, 106
  peaked, of refraction, 3
Cycloplegic drugs, substituting for occlusion, 167
Cylinder axis, determination of, 133–134
Cylinder power
  determination of, 145–147
  true values for, 136
Cylinders
  differences in minus and plus, 199, 200–203
  minus, 196
    factory-finished, 200
  as notation in prescriptions, 175, 177
Cylindrical correction
  on anterior surface of lenses, 88
  and children, 162

Daily living aids, 59–60
Decentration
  in cataract lenses, 248
  flexibility of, 251
Dennett, W. S., 132
Dial technique, Stine modification of, 151
Diameter (of lens), minimal effective, 216–218
Diamond ring tool, 221, 222
Diopter
  definition of, 175
  in measuring convergence, 116
Dioptic unit. *See* Diopter
Dioptric notation, 175
Dioptric power
  of lens, 19
  and magnification, 21
    hand magnifier, 68
  of magnifier, method of specifying, 27–30
  true, of separated lenses, 33
Distance
  center of rotation. *See* Optical stop
  of objects, apparent change with telescopes, 44
Distance prescriptions for bifocals, 244
Distance viewing, and astigmatic vs. power errors, 196
Distortion, complaints of, 208, 219–220
Duochrome test, 112, 133, 146
Duo-Lens, 230

Edroy Featherweight hand lens, 69
Educational plan based on eye examination, 76
Elongation, axial. *See* Axial length(s)
Emmetropes, retinal images of, 125
Emmetropia
  retinoscopy, 121–129
  true optical, restored by contact lenses, 100
Emmetropic eye
  far point of, 122
  optical structure of, 3–5
Emmetropic patient, predicting reading distance of, 63
Epidemiology of refraction, 1
Error(s)
  astigmatic, variation in axis, 191
  causes of, 112–113, 187–192
  power and astigmatic, Tillyer balancing principle, 193
  prescription, vs. base curves, 192, 197
    in cataract lenses, 209
  refractive, inheritance of, 12
    prescribing for, 113–114
    types of, 157
  sagittal, 191
  statistical concept of, 104–106
  tangential, 191, 198
    in cataract lenses, 209, 210
Error distribution, 105
Esophoria-tropia, with high hyperopia, 101
Esotropia, 159
Executive lens, 230
Eye
  high hyperopic, 126, 127
  moderate hyperopic, 126, 127
  phases of growth, 8–11
  resolution capability, 220
Eye cylinder, 140
Eye diseases, congenital, 78
Eye examination
  early, with cycloplegia, 161
  procedure, adult patient, 58–60
Eye-to-lens distance, and patient, 36
Eyewire distance, 91, 204, 205
Facial characteristics, and position of lenses, 170
Families
  components of refraction, coefficients of correlation, 15
  studies on, 12–13
Family history, in examining children, 76
Far point sphere of patient, 170
  plus and minus correcting lenses, 183
Field defect, large, 75
Field glasses, 43
Field of view
  reduction with hand lens, 39
  restricted in telescope, 44
Filament image
  progression in size, and distance from eye, 126
  techniques of figuring, 118
Filament of streak retinoscope, 124
Fitting, importance of, 213
Fitting frame, 205, 206
Fitting positions, vertical, 207
Fixation, bifoveal, simultaneous, 155
Fixation positions, vertical, 205, 207
Fixation reflex, 155
Flint lenses. *See* Glass, "flint"
Flipping. *See* Twirl
Focal distance of spectacles, 67
Focal length, 27
  of lens, 174
  terminology, 174–175
Following reflex, 155
Fonda's rule, 51
Fovea and other areas of retina, 155
Foveal vision maintained by fixation and following, 155
Frame
  full, 71
  half-eye, 71
  high fitting, and strong prescriptions, 207
  and lens, vertical position of, 204
Franklin, Ben, lens, 230
Front base curves
  mismatched, 90

Front base curves—*Continued*
selection of, 91
Fundus image, 126
Fusion, 61, 155

Genetic character of refraction. *See* Heredity and refractions
Geneva lens measure, 92
Geometry of lens production, 221
and centers
of cut-off bifocals, 241
of full-field one-piece straight top bifocal, 243
of semicircular one-piece bifocals, 242
full-field, straight top one-piece bifocal, 234
one-piece bifocal, 232
Glare, 74
Glass
absorptive, 225–226
barium, 235, 253
crown, 234, 253
"flint," 218
high-index, 235
and chromatic aberration, 246
Glaucoma, 75
Glossabucca, 103
Grinding. *See also* Automation of grinding process
slab-off, 252–253
Growth, of eye, refraction and, 8–11

Handicapped, use of term in subnormal vision, 57
Height, correlation with need for trifocals, 255
Heredity and refractions, 11–13
History-taking, 58
Hypermetropia
axial lengths, 8
effects in later life, 17
and plus lenses, 171, 172
Hyperope
far point sphere, 184
use of telescope, 43, 201
Hyperopia
bilateral, 157
low degree of, 128
in preschool children, 162
retinoscopy, 120–121
uncorrected, and reading distance, 25
Hyperopic eye, corrected with plus lens, 201, 202
Hyperopic prescriptions, strong, bifocal for, 246

Igard Plastic Stand Magnifiers, 32
Illumination
adequate, and stand magnifier, 25
office, 65
Image
"ghost," 257
magnification of, 60
negative direction in minus lens, 173
position of, calculation of, 117
size change in use of telescope, 201–202
size of, ratio to size of object, 22
virtual, 20
and magnifier lens, 32, 33, 34, 36
"writhing" and "swimming," 219
Image jump in bifocals, 239–244
determined by segment center position, 240
rules of thumb for, 242–243
Impact resistance of lens glass, 218
Indexing machines, 223
Infancy, axial elongation in, 9
Infant
examination of, 110
range of visual interest, 162
Infantile phase of eye growth, 8–9
Intracerebral damage, 75

Jackson, Edward, 132
Jackson cross cylinder, 147
Jacques Blur Point Card, 149, 150
Jeweler's loupe, 67

Keratoconus patients, examination of, 60

Keratometer reading in amblyopia, 61
Kollmorgen telescopic spectacles, 44, 45
Kollmorgen telescopic test set, 46
Kryptok fused bifocal, 234, 235
Kurova M lens, 230
Kurova Shursite, 195, 196

Lancaster-Reagan dial with cross cylinder, 151
Large Print text, 77
Laws and regulations for safety specifications, 258
Lending system for trial of lenses, 74
Lens(es). *See also* specific names, as Tillyer; von Rohr
  aspheric, 209–210, 211
  bifocal. *See* Bifocals
  cataract. *See* Cataract lenses
  concave, 221
    in Galilean telescope, 42
  convex, 221
    as reading cap for telescope, 45, 46
    reading distance for, 63
  convex toric, 221
  to correct near vision, 61
  corrected curve, 184–187
  cylindrical. *See also* Cylinders
    comparison of plus and minus, 203
    full power of, 134–135
    power at each meridian, 135
  finished uncut, 224
  fused lenticular, 215–216
  high index, 218–219
  high plus, frames for, 71
  iseikonic, 81–82
  iseikonoid, 82, 84
    essence of design, 88
    evaluation of prescriptions, 91–93
    practical recommendations for, 89–91
  lenticular, 214
    aspheric, 217
    and M.E.D. criteria, 217
  magnifier, 20
  minus, 173, 174
    as concave lenses, 173
    prism element, 187
    strong, 206–209
  minus cylinder, 89
  multifocal, 229–257
  occupational, double segments in, 257
  one-piece, 214, 215
  ophthalmic, 82
    noncorrective characteristics of, 257–258
    production of, 220–228
    schematic, 83
  optical axis, and center of rotation, 204
  plano base, 250
  plano-convex, avoidance in cataract, 209
  plastic, 210, 230, 246
  plus, 171–172
    prism element, 187
  safety characteristics, 258
  semifinished. *See* Blanks
  separation between, 43
  specification of, 174–175
  spectacle, available strengths and types, 67
  spherical, 41, 224
  strong, 197
    fitting and design, 203–220
  strong plus, 227
  subluxated, 60
  as supplied by manufacturers, 224–226
  thick, and use of minus cylinders, 203
  thick afocal, 84
  thickness of, 214, 226, 227
  tinted, 74
  toric, 175–180, 224
    vs. cylindrical, 177
    prescription of, 199
    structure of, 178
  types of, 171–173
  weak, 197
Lens axis, as design concept, 185

Lens curvatures, 188–190. *See also* Curvature
  and position of eye, 180–181
Lens distance, variation in hand magnifier, 68
Lens performance
  and eyewire distance and vertical centering, 206
  and fitting position and base curves, 208
Lens prescription and best visual acuity, 108
Lens profiles, verification of, 92
Lens system
  computing relative sizes of object and image, 27–28
  in stand magnifiers, 25
Letters
  horizontal components, 146
  vertical components, 146
Light, divergent, 115
Lighthouse Catalogue of Optical Aids, 61
Lighthouse charts, 62
Lighthouse Low Vision Clinic, 65
Light source, auxiliary, 25
Lighting, effect on vision, 74–75
Luminence, reduction in optical projection, 31

M units of reading ability, 54
Macular lesions, localized, 76
Magnification
  angular, 20
  difference between two eyes, 82
  of hand lens, 38
    formula for, 40
  by high-power reading addition, quantitative specification of, 23–24
  linear, 20
  meridional differences, 87, 88
  and power of lens and vertex distance, 202
  properties of ophthalmic lenses, 82
  undesirable differential, 84–87
Magnifier(s)
  folding pocket, 69
  hand, 37–41, 68–70
    for add less than 20 D, 71
    in examination procedure, 59
  projection, 30–31
  stand, 25–30, 69–70
    basic optical principles, 34
    determination of power, 54
    fixed-focus low-power, 32–37
    illuminated types, 26
  telescopic, 41–47
  types of, 20
Magnifying devices, use as compensation, 19
Manufacturers, differences in designs, 192
Mass production of lenses, 224
  corrected curve, 194
Masterpiece lenses, 91, 93
Measurement-making, concepts of, 106–110
Measurements, distributions of, 109
M.E.D. *See* Diameter (of lens), minimal effective
Meridians, horizontal and vertical, and prismatic effect, 191
Meridional balance, state of, 133, 146
Metric system in vision tests, 62
Mirror
  concave, 121
  retinoscope, 119
Monocular prescription, 66–67
Myope(s)
  far point sphere, 184
  high, presbyopic at later age, 97
  stop distance, 186
  use of telescope, 43, 201
  young, subjective refraction of, 112
Myopia
  axial lengths, 8
  bilateral and equal, 157
  and contact lens correction, 101
  high, 60
  malignant, 157n
  and minus lenses, 173
  need for studies on, 17
  retinoscopy, 119–120

uncorrected, and reading distance, 25
unequal, 158
Myopic families, 12

Near vision
corrections, 66–70
early determination of, 77
test cards, 66
Newborn, eye examination of, 160
Noise, as group concept of error, 105
Nonspherical lenses. *See* Lens(es), aspheric
Normalsite lens, 195
Nose
as major factor in lens performance, 170
role in supporting frame, 206

Object displacement, 244
Object-to-lens distance, and hand lens, 40
Occluder
plastic, 70
supplementing binocular correction, 51
Occlusion, part-time, 167
Office equipment for low-vision refraction, 65–66
Opaque tape for occlusion, 70
Opera glasses, 43
Optical aperture stop, 183
Optical axis, 185–186
Optical centers, separation of, 49
Optical stop, 204
Optical theory and design, 180–203
Optics bench, in measuring true focal length, 28, 29
Orthogon lens, 195
Overcorrection, for aphakic child, 165

Pantoscopic angle
and distortion, 219
vs. vertical eye position, 216–217
Parameters and magnification of spectacle lens, 82
Parents
attitude to occlusion, 166–167
cooperation, and contact lenses for children, 165
Patient(s)
acceptance of too much cylinder power, 146
differences, and precision, 107, 108
and shift in axis, 140
value of responses, 111–112
P.D. *See* Pupillary distance
Peripheral field loss and hand magnifier, 68
Plano-Convex Stand Magnifier, 37
Polaroid flip-up lenses, 74
Polishing pad, 221
Positive lenses. *See* Lens(es), plus
Power, equivalent, defined, 47
Power, true, formula for magnifier, 34
Power, X, manufacturer's designation, 68
Power factor, 83
meridonal, 88
Precision, 107
and accuracy, 108
Precision-Cosmet Company PD meter, 49
Prentice's rule, 240, 245, 252
Presbyope
case history, 22
magnification for, 21
projection magnifier, 30
stand magnifier, 26
reading addition with hand lens, 41
selection of reading aid, 52
trifocals for, 255
Presbyopia
accommodation, 150
use of cross cylinder, 148–150
Prescriptions
for children, 78–79
format, 179
instructions on back of, 93
terminology, 192
Print size, and distance acuity, 59
Prinz rule, 65

Prism
amount of, and displacement, 244–245
and quality of vision, 247
tipping of, 188
total, analysis through reading portion, 245–247
and cataract bifocal performance, 249
Prism base, direction in plus and minus lenses, 191
Prismatic deviation, 190–192
in radial planes, 191
Prismatic effect
of bifocal segment types, 245
and distortion, 219
reading portion of minus lens, 246
segment, 240
straight top, 239
Prismatic image splitting device, 147
Prisms, lens as series of, 187
Pupil, in retinoscopy, 125
Pupillary distance, and decentering of lens, 217

Qualitative approach, history of, 1–2
Quantitative studies, 2

Radii, specification in, 174
Rays
converging, 116, 117
diverging, 116
and hyperopic eye, 121
vergence of, leaving retinoscope, 118
Reading, binocular, data for different distances, 50
Reading additions, high-power, as magnifiers, 21–24
Reading aids
head-borne, vs. hand magnifier, 38
limitations of, 24
prescribing type of, 64
selection of suitable power, 51–54
spectacle, for binocular use, 48–51
telescopes as, 45–47
Reading cap, for telescope, 45, 46
Reading distances
and astigmatic vs. power errors, 196
determination of, 63–64
and separation of visual axes, 49
short, 58
test material for, 52
Reading field, semicircular, 233
Reading lenses, plus lenses as, 171
Reading material in testing, 65
Reading performance, total, of bifocals, 244–247
Reading rate, slow, 78
Reagan-Lancaster dial, 144
Reference circle, of spectacle lens, 184
Reference sphere, 182, 183, 186
Reflections, complaints of, 208
Refracting instrument, prescription in terms of, 177
Refraction
and genetic transmission, 17
subjective, 111
Refractionist, reliability of, 104
Refractive index, average value, 228
Rehabilitation, 57
Repeatability, 107
Residual vision in eye disease, 75
Resultant (term), 133
Retinal image
in retinoscopy, 125
size of, 85
increasing, 20
and viewing distance, 21
Retinitis pigmentosa, 75
Retinoscope
light converging from, 119
streak, 118, 122, 123
with bulb lowered, 123, 124
with bulb raised, 124
Retinoscopy
and cross cylinder, 152
old-fashioned, 120
right eye vs. left eye, 112
Rotate (term), and cross cylinder, 133

Rotation. *See also* Tilting of horopter
center in eye, 181, 182–184
Rotation method in testing axis of astigmatism, 144
Ruler, centimeter and inch, 65

Scholarship and poor vision, 77
Sedation in examination of children, 161
Segment insets, table of, 248
Segment outline (bifocals), visibility of, 238
Segment size, in bifocals, 238–239
Selsi monocular telescope, 45
Shape factor. *See also* Size factor
and iseikonoid lenses, 87
meridional, 88
poorly designed, 85
Shapes of lenses, 224, 225
Shuron/Continental, 89, 195, 196, 230
Shursite, 89
Sight, partial, 58
Sigma, and sect of Statisticians, 103
Signal-to-noise ratio, 104
Simultantest, 147-148
Sine θ, 135, 136
Sine curve, 136, 137
Size of lenses, 224
Size-constancy, phenomenon of, 39
Size factor, 83
Sloan cards, 53
Sloan charts, 62, 66
Snellen charts, 66
Snellen letters, 144, 145
Snellen notation, 53
Spatial distortion, transient, 90
Spectacle corrections, 66–68
effect on accommodation and convergence, 97–101
refractive amblyopia, 161–163
Spectacle lens(es)
design, 81–89
ideal, 182, 183
minus cylinder single vision, 88
prismatic effects, 98
Spectacles. *See also* Reading aids, headborne
for adds less than 20 D, 70–71
binocular, 48–51
with base-in prism, 65
common errors, 187
and infants, 161
with magnifiers, 36
trial sets, 65
Spherical Simultantest, 147
Spherocylinder, formula for, 137
Standard deviation, 105–106
Standard Snellen charts, 62
Statisticians, Three Commandments to, 103
Steiger's hypothesis, 8
Stereopsis, 155
Stokes lens, 131
Stop distance, 186–187
Strabismus, accommodative, 111
Structure, of lens, 176
Sunglasses, zero power, 258

Telescope
astronomical, 42
for distance vision, 61
fixed-focus in spectacle frames, 44, 45
focusable hand-held, 43–44
Galilean, 42, 201
and increase in accommodation, 45
hand-held monocular, 44
in low-vision correction, 62
monocular, used by children, 78
problems with use of, 44
Telescopic loupes, 70
Television reading aids, 31
Television systems, closed circuit, 31
Tillyer lens, 193–195, 196
two philosophies of, 194
Tillyer Masterpiece lens, 89, 186, 193, 195, 196
Tilting of horopter, 81, 83, 86
and iseikonoid lenses, 84
practical approach to, 92
Titmus, 195, 230

Tools, standard, 228
Tranquillity, and measurements, 111
Trial frame, adjustable, 65
Trial period for lenses, 74
Trial sets, 65
Trifocals, 255–257
  fused segments, 256–257
  segment types, 256–257
Tungsten wire, as retinoscope filament, 124
"Tuning" for maximum brightness in retinoscopy, 126
Twins
  components of refraction in, 14
  studies on, 11–12
  uniovular, similarity of eye structure, 13
Twirl, and cross cylinder, 133, 143

Ultraviolet rays, and high index lenses, 218
Uniform E lens, 230
Unikat Plastic Aphakic lenses, 93
Uniscopic Plastic Low-vision lenses, 93
Univis Lens Company, 89, 195, 230
  telescopic inserts, 44

Value, true, 109
Variability
  as group concept of error, 105
  and standard deviation, 105
Variations, individual, 13–16
Vascular conditions, 76
Vergence method, in solving ophthalmic problems, 19
Vergence movements, forced, 86
Vergence power, alteration with contact lenses, 98
Vergence, principle of, 115–117
Vertex distance, 182
  changes in, 213
Vertex power, of lenticular lens, 217
Vertical height, of lens, 204
Vertical positions, variations in, 205
Viewing distance
  decreased to magnify, 20
  and diopters of divergence, 22
  proper, of reading material, 24
  short, 77
Vision
  low, correction, 61–64
  subnormal, 57
Vision testing, 62–63
Visual defect in classification of lenses, 171
Visual development
  and bilateral and equal myopia, 157
  early years of, 155
von Rohr lens, 192–193

Weight, in selection of cataract lens, 214, 216, 217
Weighted average, statistical concept of, 111
Welsh, Robert, 216
Widesite lens, 195
Working distance
  and compound lens system, 46
  longer with hand lens, 39
Writing, difficult with high adds, 67

X-rays, and high index lenses, 218

Index

A and V patterns of fixation, 319–320
  etiology of, 77–78
  indications for surgical correction, 74
  normosensorial cases of, 73
  pathophysiology and treatment of, 63
  and residual deviation, 232
  as surgical guidelines, 73
  treatment categories, 67–68
  and vertical incomitance, 72
A impulses, stabilized activity of, 33
AC/A ratio, 23–25
  clinical studies, 55–60
  effect of surgery on, 50
  and electrooculography, 53
  excessively high, 25
  and exodeviation, 39
  high preoperative, and overcorrection, 51
  instrumentation for measuring, 54–55
  in intermittent exotropia, 116
  linearity of, 56
  and Neo-Synephrine instillation, 219–220, 221
  stability of, 41
Accidents, ocular palsy from, tabulated, 148–149
Accommodation, 215
  and accommodative convergence. *See* AC/A ratio
  as changeable factor in esotropia, 63
Accommodation requirement, oculographic determination of, 217–223
Accommodation-vergence reflex, 60
Accommodative component, and prism therapy, 285
Accommodative factor, and operative treatment, 26
Accommodative habit, breaking of, 34
Accommodative response, basic action curves of, 61
After-image test, 238
Age
  in amblyopia therapy, 249
  orthoptic, 115
  for orthoptic reeducation through prisms, 283
  and pleoptics or orthoptics, 113
  for prism therapy, 290–291
  and stabilization ability, 34
  and treatment of amblyopia, 259, 260–261
  and treatment of squint, 105
  and type of therapy, 118
  youngest, and contact lenses, 227–228
Age of onset
  of convergent strabismus, 111
  and sensory anomalies, 237
  and success of strabismus treatment, 108, 109
Albinism, 228
  and pendular nystagmus, 181
Alcohol, and fusional divergence faculty, 293
Alpern, M., and direct-current electrooculograph, 53
Altitudes, high, and fusional divergence faculty, 293
Amblyope, limits of treatment, 259

Amblyopia
acquired, 90
anisometropic, 250–251, 255
pleoptic treatment in, 301, 302
and contour interference, 20
and convergent strabismus, 112
and danger of under- or overcorrection, 101
degree of, and altered accommodation, 216
differential diagnosis, organic vs. optical, 302
early development of, 258
with eccentric fixation, 303
and latent nystagmus, in young infants, 89
pathological foveal, contour interaction in, 14
pathophysiology of, 321
prevention of, 105, 106, 108
prevention of relapse, 303
social significance of, 257
suppression, 150
therapy, 320–321
alternatives to occlusion and pleoptics, 254
factors in prognosis, 259
practical considerations in, 253–256
results of, tabulated, 248
types of, 246
and types of congenital esotropia, 82, 83, 84
types of treatment, distribution of cases, 301
untreatable, 68
and visual acuity, 15
normalized or improved, 301
and wearing of prisms, 284
Amblyopia exanopsia, successful surgery in, 100, 102
Amblyoscope
major, 275
in treatment of heterophoria, 297
American Medical Association, subcommittee on chart symbol size, 311, 313
American Optical Projectochart, 309, 310, 311
birthday cake picture, 312, 313
Aniridia, contact lenses in, 227, 228
Aniseikonia, and fusion, 16
Anisoconia, and amblyopia, 255
Anisometropes, and occluding contact lenses, 227
Anisometropia and fusion, 16
Anomalous correspondence. *See* Retinal correspondence, anomalous
Antisuppression therapy
and amblyopia, leading to binocular diplopia, 113
preoperative, 49
orthoptic training, 51
Aphakia
unilateral, 91
of the young, 225–229
Aphakic, monocular, 228
ARC
in congenital squint, 94
in later esotropia, 81
Astigmatism
and amblyopia therapy, 254
unilateral, and fusion, 16
Atrophy, optic, following orbital decompression, 208
Atropine, in amblyopia therapy, 254
Atropine cycloplegia, 35
complete, 30
Atropine instillations, and link between A and AC impulses, 29–35
A-V syndrome. *See* A and V patterns of fixation
Axial displacement of eye, 193

Base, of prism, 269
Bausch and Lomb Projectochart, 309, 310
Benton Eye Test, 20–21
Berens prism ladder, 293
Bielschowsky, A.
convergent strabismus of, 111–112
darkening test of, 88, 91

in congenital superior-oblique palsy, 126
and dissociated vertical divergence, 91
Lectures on Motor Anomalies, 132, 133
Bielschowsky's experiment, in head tilt, 133
Bifocals and angle of esodeviation, 286
Bifoveal fusion, loss of, in intermittent exotropia, 307
Bi-monocular vision, 5
Binocular field reduction, diagram of, 185
Binocular fixation field, as assessment of surgical results, 153
before and after surgery, 160, 164, 168, 174
Binocular function, loss of, 150
Binocular state, and surgery for intermittent exotropia, 116
Binocular stimulation, permanent, 283
Binocular vision
and A-V surgery, 74
conflicting contour information in, 18
disturbances of, role of orthoptics, 300
grades of, 257
and muscle surgery, 203
and outward geometry, 189
physiology of, 1
preoperative, and success of surgery, 290
reeducation in, 105, 106
restoration of, 112
single, mechanism of, 187, 188
Blascovics' operation, for ptosis, 151
Blind-spot syndrome, 278, 279
Blowout fracture. *See under* Fracture(s)
Blur, optical. *See* Optical blur
Bone fragments, in orbital fractures, 209
Brain damage, and paresis of sixth nerve, 83
Brain stem
in congenital jerky nystagmus, 179
"cross-wiring" of supranuclear nervous pathways to, 184
lesion in
and bilateral palsy, 168
and dissociated deviation, 182
synoptophore measurements for diagnosis, 169
vertical movement mechanisms, 185
Brown's orbital muscle fibrosis syndrome, 128
BXT. *See* Exotropia, basic (BXT)

Cataracts
congenital, 228
extraction, irrigation-suction technique, 225
Catatonic schizophrenic, constant occlusion in, 262
Cavernous sinus, arteriovenous shunt in, 199, 201
Central nervous system
and ocular motility, 90
and periphery, 3 n
Cerebral palsy, and congenital squint, 90
Chart letters
Bausch and Lomb, 310
and American Optical compared, 312
Good-Lite, 310, 311
line *E* vs. cube *E*, 314
Children
acceptance of prisms, 284
adaptational phenomena in binocular vision, 237
amblyopic, results with pleoptics, 248
aphakic, correction for near vs. distance fixation, 228
and bifocal lenses, 25
blowout fracture in, 212
and contact lenses, 226
and discomfort, 292

Children—*Continued*
high AC/A ratios, 25
pleoptic treatment, 246–252
postpleoptics supervision, 247
ocular misalignment, suppression as first reaction, 239
school age, and total occlusion, 260
and traumatic diplopia, 150
vision testing in, 308
younger, factors in visual acuity, 317
Chin, position of, in congenital strabismus, 89
Ciliary muscle, neuromuscular junctions of, 30–31
Comfort, zone of, 293
Cone dysfunction syndrome, congenital, 181
Confusion. *See Konfundierung*
Conjunctiva, bilateral recession of, technique for, 234–235
Contact lenses
in accommodative esotropia, 26
in after-treatment of cataracts, 225
in anisoconia, 255
in anisometropic amblyopia, 251
cosmetic, 125
iris-painted pinhole, 227
pinhole, and AC/A ratio, 55–56
and vergence response, 57
response to accommodative stimulus, 219, 220
soft, 225, 226
for turned-in lashes, 207
vs. spectacles, and accommodation, 215
Contour interaction, 14
on binocular level, 15–18
rivalry and fusion in, 16
Woodworth's experiment, 12, 13
Contour interference
contralateral, quantitative studies, 19
and rivalry, 17–20
Contour trend and fusion, 16
stereoscope patterns, 16, 17
Contours
contralateral opposing, 15–16
unfusable, 13
Convergence
accommodative, 23
and accommodation. *See* AC/A ratio
asymmetric, and progressive stimuli, 56
of right eye, 39, 40
dissociated vertical. *See* Sursumduction, alternating
fusional, 24
Convergence insufficiency, defined, 296
Convergence requirement, 23–25
Convergence training, reverse prism in, 267
Convergent motor adaptation, 278, 279, 281, 282
Convergent strabismus
congenital vs. acquired, 71
late, 111
sensory prognosis, late vs. early onset, 112
Correction, operative, and degrees of deviation, 95, 96
Cover test
alternate, 114
for convergence innervations, 40
in double hypertropia, 144
in exotropia, 64, 65
Cover test measurements, 67
Cover-uncover test, 274, 275, 276, 285, 287
for constant fusion, 48
"Cross fixators," 83
"Crowding," 12–15
Cüppers, C.
and base-out prisms, 267
correspondence theory of, 8, 11
prism technique of, 273
Cybernetic concepts, and ocular motility, 319
Cyclofusional movements, 16
Cyclotropia, traumatic, 126–127
Cysts, at pupillary border, 25

D. *See* Fixation distance
Dandy-Walker syndrome, 183
Deckstelle, 10
Decompression(s)
  emergency, 211
  orbital, 208
Desmarres retractor, 137, 142
Deviation
  angle of, in alternating sursumduction, 144
    measured before prism therapy, 285
    and prism therapy, 263
    and spontaneous improvement in traumatic palsy, 151–152
  correlation with operative correction, 95, 96
  dissociated ocular, 182, 183, 184
  extorsional, in bilateral fourth nerve palsy, 155
    operation for, 156
  horizontal, high AC/A ratio in, 41
  intorsional, in bilateral fourth nerve palsy, 155
  torsional, tolerance for, 156
  vertical, in large exodeviation, 44
DFP therapy, 25
  vergence response in hyperope, 57, 58, 59
Di-isopropyl fluorophosphate. *See* DFP therapy
Diplopia
  causes of, 19
  and deformity of orbital wall, 196, 197
  due to displacement of globe, 191–193
  from head injury, 146, 147
  homonymous. *See* Diplopia, incongruent
  horizontal for near objects, 150
  incongruent, 306, 307
  intractable, and occluding contact lenses, 227
  and late management of early strabismus, 112–113
  orbital, cause of, 187
  physiological, 19
  postoperative, 105
  due to secondary factors, 193
  silastic implant in, 191
  spontaneous, 116
  from superior-oblique transplants, 125
  suppression in, 278
  torsional, in bilateral fourth nerve palsy, 155
  traumatic, in head injury, 150–151
  vertical, in blowout fracture, 194, 195
Disaccommodative therapy, principle of, 37
Discomfort zones, in esophoria, 293, 294
Disinsertion operation, 129
Displacement
  technique of, 68, 69
  vertical monocular, 68
Displacement of eye, vertical, 188–189
Distant seeing, stabilization of A tonus for, 32
Divergence
  dissociated vertical. *See* Sursumduction, alternating
  improved, in treatment of heterophoria, 297–298
  postoperative, AC/A ratio (case history), 42–43
Divergence excess, true (TDXT), 46
Divergence insufficiency, defined, 296
Double vision
  in orbital deformity, 199
  in orbital fractures, 189
Driving restrictions and amblyopia, 258

Efference copy. *See* Mechanism #1 of Goldmann
Electromyography
  and A and V surgery, 77–78
  in nerve lesions, 148

Electrooculograph
accommodation requirement in myopia, 219
in accommodative asymmetrical vergence, 218
Electrooculography, direct current, and AC/A ratio, 53
Electroretinogram (ERG), 180, 181
Employment, and effects of amblyopia, 255, 257, 258, 259
Enophthalmus, 214
ERG. *See* Electroretinogram
Esodeviation
A pattern, management of offset of horizontal recti, 79
technique for correction, 232
angle of, reduction of, 286
overcorrection with prisms, 287–288
residual, and base-out prisms, 272, 274
V pattern, closure of, 75
technique for correction, 233
with vertical or torsional deviation, 161
Esophoria, 24
and base-out prism, 270
prism therapy in, 294
Esophoric high myopes, switch to contact lenses, 223
Esotropes of later onset, 83
Esotropia
A and V pattern in, 63
accommodative, and contact lenses, 216
defined, 23
delay of treatment, 28
pure, 24
with bilateral limitation of abduction, 81–82, 85, 86
concomitant, management of, 103–106
congenital, defined, 81
nystagmic movements in, 83, 84
constant, occlusion therapy in, 251
course of treatment with prisms, 288–289
orthoptics in, 304
percentage of cures in, 70
pleoptics in, 250–252
prism-induced, 281
prismatic approach after surgery, 272
prismatic sensory, 277, 278, 279, 280, 281
right
28 degrees deviation, operative correction, 101–102
32 degrees deviation, operative correction, 100–101
with right amblyopia, spectacles vs. contact lenses, 222
small-angle, and intermittent exotropia, 115
stabilized, 36
static, angle in general anesthesia, 31
and surgery for exotropia, 123
surgical correction of, 95
30 degrees, case history, 206
treatment distribution, 303 cases, 106
V-pattern, minimal oblique dysfunction, 64
and oblique dysfunction, 64, 65
oblique overaction in, 66
Ethmoid cells, fracture of, 196
Excyclorotation, and fixation, 89
Exercises
antisuppressive, 287
with base-out prisms, 293
controlled monocular, 300
for convergence and divergence, 298
with dissociating effects, 276
divergence, base-in prism as, 295
fusion, 118, 275, 287
for motor cooperation, 26
orthoptic, combined with prisms, 280
orthoptic convergence, 293–294
recession, 298
recession and advancement, 275
for retinal correspondence, 243

Weiss type, 300
Exodeviation
AC/A ratio in, 41–42
accommodative convergence in, 39
hypercorrection with one operation, 123
increase in, and fusional divergence, 279, 280
surgical data and analyses, 121–124
three groups of, 46
Exophoria
increased, and recurring intermittent exotropia, 279
prisms in, 295
base-out prisms in, 294
Exophoria-trophias of childhood, 267
Exophthalmus
case history, 205, 206
and impairment of vision, 202
malignant, management of, 210–211
traumatic, 193
with diplopia, 201
Exotropia
A-pattern, and tenectomy of superior oblique, 135
basic (BXT), 46
basic intermittent, surgical results, 48
consecutive, and amblyopia, 255
prevention of, 102
constant, 306
early-delayed treatment method, 290
intermittent, 47, 114
case history, 281
criteria for cure, 116
etiology of, 307
orthoptics-surgery-orthoptics sequence, 304–305
pathogenesis of, 306
treatment of, 306–307
undercorrected, prism therapy in, 277
and normosensorial late strabismus, 73
and prismatic therapy, 289
truly constant, cure rate, 118
types and prognoses, tabulated, 117
Explosion, and diplopia, 200
Extorsion, operations for, 156
Eye
depressed, experimental simulation, 189
reaction to interposed prism, 269
Eyestrain, and vertical prism effect, 271

Facultative retinal correspondence, 114
Family structure, effect on occlusion therapy, 253, 254
Feedback, proprioceptive. *See* Mechanism #2 of Goldmann
Finesse, in contour interaction, 17
Fixation
eccentric, 7, 8, 11
and occlusion of good eye, 260
pleoptics in, 249, 251
reverse prism and graded occlusion in, 263
vs. "eccentric viewing," 12
noncentral, treatment for, 250
and subjective experience, 12
visuscope test for, 9
Fixation distance (D), 23
Floropryl, 25
and AC/A ratio, 55
Forced duction maneuvers, 135
Forced duction tests, 204
in blowout fracture, 195
and orbital fracture, 213
Foreign body, intraorbital, and orbital diplopia, 199, 200
Fovea as instrument of fixation, 3
Fracture(s)
blowout, 193–195
cyclophoria or cyclotropia in, 212
of ethmoid cells, 196
of floor of orbit, 211, 212–213
orbital, 189, 209
old, and eye depression, 190

Fracture(s), orbital—*Continued*
open reduction of malunited, 209
Frame, for insertion of prisms, 284–285
Franceschetti, strabismus of, 111, 112
French Ophthalmological Society, 117
Fresnel prism, 264
Fusion
in congenital squint, 94
for cyclodeviation of superior-oblique palsy, 126
Fusional ability, loss of, 112
Fusional amplitudes
low, and recurring intermittent exotropia, 280
in treatment of heterophoria, 297
Fusional convergence, and base-out prism, 270
Fusional divergence, and base-out prism, 270
Fusional divergence faculty, 293
Fusional movements, anomalous, 273
elimination of, 274
Fusional power, causes of impairment of, 111
Fusional vergence mechanism, 293
Fusion-free state, retinoscopic findings, 29, 30

Geometric optics, and accommodation, 215
Geometry
disturbed, and outside world, mathematical reconstruction of, 192
of position of eyes in outside world, 188, 189, 191
Gerebtzoff, M. A., 6
Gerebtzoff's diagram, 6, 7
Glasses. *See also* Spectacle(s) *entries*
in control of accommodation, 63
manipulation, in amblyopia therapy, 254
prisms prescribed in, 280
Globe, displacement of, 187
Goiter, exophthalmic
and muscle imbalances, 202
pathological changes in, 203
Goldmann, H., 1, 2–6, 8–9
checkerboard pattern of, 13
Gradient method in AC/A ratio, 41, 46, 227
Graves' disease. *See* Goiter, exophthalmic

Haidinger brushes, 304
Harada-Ito operation, 156, 320
Harms, H., 10
Harms area, 10, 11
Head posture
abnormal, 88
compensatory, 178, 179
Head tilt
in alternating sursumduction, 145
in asymmetrical congenital nystagmus, 127
reversal of, 134
and underaction of superior oblique, 135, 142
and vertical deviation, 132, 133
Hematoma, subdural, case history, 173–174
Hemianopia, partial heteronymous, 185
Hemorrhage, subarachnoid, case history, 168
Heredity
and amblyopia, 253
in congenital jerky nystagmus, 179–180
in congenital squint, 90
Hernia of orbital contents, 194
Hess chart(s)
in pseudotumor, 199
before and after surgery, 157, 158, 159, 162, 166, 167, 171, 172, 175, 205
Heterophoria
defined, 296
measurement of, 287
prisms in, 292, 321
treatment of, 297–298

Heterotropia, retained, and muscle surgery, 210
Hirschberg reflex test, 285
Homatropine, and AC/A ratio, 56
Horizontal recti, hyperactivity and hypoactivity, 96, 97
Hormone, thyroid-stimulating (TSH), 202, 203
Horror fusionis, 19
Hyperdeviation, double dissociated, in A-pattern exotropia, 135
Hyperkinetic pace pattern, 60
Hypermetropia
  stabilized latent, 36
    due to stabilized tonus of A, 29
  in 2–6-year age range, 42
Hyperopia
  accommodation requirement in, 222
    contact lenses vs. spectacles, 220–223
  in late convergent strabismus, 111
Hyperopic
  contact lenses in, 216
  converted from spectacles to contact lenses, 222
  spectacle-corrected, 217
Hypertropia
  alternating. *See* Sursumduction, alternating
  in bilateral fourth nerve palsy, 155
  dissociated double. *See* Sursumduction, alternating
  double, due to bilateral overaction, 144, 145
  placement of prism, 67
Hypothyroidism
  and congenital esotropia, 86
  primary and secondary, 203
Hypotropia, right, in injured eye, 191

^{131}I uptake test, in infants with bilateral limitation of abduction, 86
Implants, orbital, 209
Incyclorotation, and fixation, 89
Infant(s)
  and accommodative squint, 31
  constant comitant squint in, 88
  with constant esotropia, occlusion therapy in, 251
  distant seeing in accommodative squint, 36
  functional stabilization of accommodative factor, 37
Inferior-oblique muscle
  in orbital fractures, 211–212
  weakening operation, objectives of, 129
Innervation, and alternating sursumduction, 88, 145
Interpupillary distance (PD), 23
Intorsion, 145
Iris sphincter, innervation of, 30
Isokinetic pace pattern, 60

Jampolsky, A., 10
Jampolsky's four-prism test, 243
Jerk nystagmus, 82, 83
  congenital, 178–180
Julious dot target, 93

K-readings. *See* Keratometric readings
Keratometer, vertically placed, 225, 228
Keratometric readings, 225, 226
Kindergarten chart, American Optical, 313, 314
Konfundierung, 18, 19

Lancaster red-green test, before and after surgery, 205
Leber's congenital amaurosis, 180
Lenses. *See also* Contact lenses; Glasses; Prism(s); Spectacle(s) *entries*
  bifocal, in children, 25
  concave, in treatment of heterophoria, 297
  Executive Bifocal, 25
  hydrophilic. *See* Contact lenses, soft
  minus and plus, in accommodative convergence, 43–44

Lesions, in ocular palsy, distribution of, 148
Light perception, loss of, in orbital decompression, 209
Limbic system, 6, 7
Line testing, for amblyopia screening, 308
Linksz, A., and reverse prism, 264
Localization
  absolute (term), 2–3
  absolute egocentric vs. relative retinocentric, 11–12
  relative, 8
  relative tactile, 2, 5
Lockwood's ligament, 204, 211
Ludvigh's block diagram, 4

Mach bands, in amblyopic patients, 321
Macular disease, subophthalmoscopic, 254, 261
Maddox rod test, 287, 293
Manual work, skilled, and absence of binocular vision, 257–258
Maximum deviation, angle of, and surgery for intermittent exotropia, 115
Mechanism #1 of Goldmann, 3, 4, 9
Mechanism #2 of Goldmann, 3, 5
Mechanism #3 of Goldmann, 3, 5
Mechanism #4 of Goldmann, 6
Medico-legal actions, 214
Memorization of line *Es*, 317
Microstrabismus, 111, 112
  and amblyopia, case history, 266
  vs. congenital squint, 91
  from large-angle strabismus, 113
Microtropia. *See* Microstrabismus
Midbrain
  lesion in, case history, 173–174
  tectal part of, and vertical movements, 185–186
Miller, Gordon, 213
Miotic drugs, and angle of deviation, 286
Motor tonus, of accommodative esotropia, 28
Mucocele of frontal sinus, 199, 200
Mueller, Johannes, and accommodation, 53
Müller muscle operation, 210
Muscle, incarcerated, in blowout fracture, 194, 195
Muscle hook
  in central tenotomy, 231
  in superior-oblique surgery, 136, 143
Musculosensory feedback mechanism. *See* Mechanism #2 of Goldmann
Myography, in blowout fracture, 195
Myope
  converted from spectacles to contact lens, 219, 220
  spectacle-corrected vs. contact-lens corrected, 217
Myopia
  accommodation requirement, 219
  and amblyopia therapy, 254
  axial, accommodation in, 215
  oculographic measurement of accommodation, 217–220
  and treatment of deviation, 64
Myotomy(ies)
  inferior-oblique, 151
  marginal, 230
    added to central tenotomy, 231, 232

Nasal suppression, and base-in prisms, 278
Neo-Synephrine, 219–220, 221
  with Phospholine Iodide, 25
Neutral zone, in congenital jerky nystagmus, 178, 179
New York Eye and Ear Infirmary, 302
Nystagmic "neutral point" deviation, 127
Nystagmoid movement, in amblyopia, 318
Nystagmus. *See also* Jerk nystagmus

in congenital convergent strabismus, 89
congenital pendular, 180–181
and contact lenses, 227, 228
defined, 177
isolated congenital, visual prognosis in, 177
latent, and congenital esotropia, 82, 83
with alternating sursumduction, 145
surgical treatment, 236
Nystagmus blockage syndrome, 89

Oblique dysfunction
and A and V surgery, 75, 76
categories of, 64–65
and displacement, 68
Oblique muscle disturbances, 125
Obliques. *See also under* Overaction
and A and V patterns, 64
overaction of, 65, 67, 77
and A and V patterns, 72
surgery, and increase of exodeviation, 123
weakening surgery of, 122
Occlusion
alternating, 37
with overcorrection, 288
in amblyopia, 300, 303
contact lenses in, 226–227
graded, in amblyopia, 247, 248
in eccentric fixation, 263
"inverse," 250
routine complete, 251
total, and binocular function, 251
unsuccessful, 261–262
Occlusion therapy, 151
in anisometropic amblyopia, 255
in esotropia in infant, 251
Occlusive film, 263
Ocular motor apparatus, disturbed geometry of, 192
Oculomotor nerves, damage to, 147
Oculomotor system, cybernetics of, 6
Oculophotosensor system, head-mounted, 53
schematic diagram, 54
shown in use, 55
Offsets, 79–80
Operations. *See also* Surgery
third nerve palsy, affected and unaffected eyes, 169
for traumatic ocular muscle palsies, 320
Operative stages, explanation to patient, 153
Optical blur, 32, 33
and belated optical correction, 33
and overactivity of A impulses, 34
Optical correction, full, before pleoptic treatment, 303
Orbital floor, in blowout fracture, 194
Orbital wall, deformity of, and diplopia, 196, 197
Orthophoria, complete, in fourth nerve palsy, 150
Orthophoric eyes, and base-out prisms, 270
Orthoptic treatment
pre- and postoperative, 104
prognosis after, 298
Orthoptics
and abnormal retinal correspondence, 289
in convergence insufficiency, 294
defined, 302
in intermittent exotropia, 115, 304–305
role of, 321
in deviation, 296
Orthoptics-surgery-orthoptics sequence, 117, 304–305
Orthoptist and abnormal retinal correspondence, 303
Orthotropia
methods of creating, 286–287
prismatic, 105
maintained before surgery, 288
Overaction
degree of, and corrective response, 126

Overaction—*Continued*
of inferior-obliques
asymmetrical, 67, 130
symmetrical, 67
of superior-oblique, unilateral, 135
Overconvergence, and base-out prisms, 274
Overcorrection
in cycloplegia, 36
of deviation, methods of creating, 287–288
and fusion, 118
gradual, of refractive error, 37
in intermittent exotropia, 115
minus, 43, 44
in prism therapy, and fusional vergence movement, 270
in superior-oblique tenectomy, 77
surgical, 272
in abnormal retinal correspondence, 289
in esotropia, 125
torsional, for head tilt, 127

Pace, 56, 60
patterns of, 60, 61
Palsy(ies)
bilateral sixth nerve, case history, 153
bilateral superior-oblique, 168
case history, 156–157
congenital superior-oblique, 126
fourth cranial nerve, bilateral, case history, 161, 163
fourth nerve, bilateral, 155–161
bilateral and equal, 150
surgical treatment, 154–168
unilateral, 154–155
in head injury cases, 146
left third nerve, residual, case history, 150–151
ocular, from traffic accidents, 148
iatrogenic, 149
operations for, 320
right sixth nerve, case history, 150
right third nerve, partial, case history, *169–172*
sixth nerve, surgical treatment, 154
third nerve, surgical procedures, 168–176
traumatic ocular, management of, 151–152
Paralysis. *See also* Palsy(ies)
of abducens, 83, 84
eye movements in, 85
third nerve, 125
Parents
cooperation in occlusion, 252
guilt feelings, and occlusion therapy, 253–254
Paresis
damage from management of strabismus, 113
of oblique muscles, and ocular torticollis, 132
of sixth nerve, congenital bilateral, 83
PD (interpupillary distance), 23
PDXT. *See* Pseudodivergence excess
Phoria, residual, and diminished prism power, 287
Phospholine Iodide, 25
and AC/A ratio, 55
and angle of esodeviation, 286
and cataract formation, 26
instillation, response in hyperope, 58, 59
Picture symbols, problems with, 317
Pigassou, R., variations of prism technique, 263
Pinealoma, 186
Plastic as material for prisms, 264, 284
Pleoptic training, financial aspect, 260
Pleoptics
in amblyopia, 246–249, 301
indications for, 262
Plication, medial rectus, 151
Polaroid test, 287
Premature birth, and congenital squint, 90
Presbyopia
in hyperopic, 216

in myopic, 216
Pressure, intraorbital, in blowout fracture, 193–194
Prism(s)
and anomalous sensory status, 242–243
base-in, in blind-spot syndrome, 278, 279
and esotropic amblyopic eye, 263
overcorrecting, 277
principle of, 277
and prismatic sensory esotropia, 277
in treatment of heterophoria, 297, 298
base-out, 178–179
therapeutic use of, 272
in treatment of heterophoria, 297
and zone of discomfort in esophoria, 293
base-up, in esotropia of Graves' disease, 207
clip-on, 274, 275, 284, 288
continuous wearing of, 283
defined, 269
and effort, 270
general conditions for use of, 283–285
press-on, 273, 284, 285
Fresnel, 280
reverse, in amblyopia, 247, 248
in eccentric fixation, 263
effect on eccentric fixation, theories of, 264, 266
principle of, 264
rotary, 293
vs. surgery, in thyroid myopathy, 209
wafer, 264, 273, 280, 284
Prism apex, 269
Prism measurements
in esotropia, 67
in exotropia, 64, 65
Prism power, division between eyes, 287
Prism test for anomalous retinal correspondence, 243, 244
Prism therapy, 103, 104, 105, 106, 107, 108, 109, 263–295, 321
implementation in, 284–285
in nystagmus, 178
obstacles to, 290
preparations for, 285–286
in treating phorias, 292
Prism timer, 274
Prismatic method, 286–288. *See also* Prism therapy
Prismotherapy. *See* Prism therapy
Projectochart, child's, 214
Projector slide, for child, Bausch and Lomb, 313
Prophylaxis, and late treatment of squint, 105
Pseudodivergence excess, 46–47
fusional results, 48
postoperative orthoptics, 51
Pseudoemmetropia, 35
Pseudotumor, and diplopia, 198, 199
P.V.D. *See* Visual direction, principal

Quasi-exophoria, and base-out prism, 270
Quasi-heterophoria, 270

Rays
bent by reverse prism, 264, 265
parallel, and retina of deviating eye, 264
Recession operation(s)
bilateral, 127
of conjunctiva, technique for, 234–235
in head tilt, 135, 142
inferior-oblique, 76, 129
asymmetrical, 130
with horizontal surgery, 130
lateral rectus, 151
vs. partial tenotomies and marginal myotomies, 230
secondary scleral attachment, 231
superior rectus, 151

Recession-resection procedures, 101, 102, 204–207
and AC/A ratio, 50
in basic exotropia, 51
bilateral, 127
in congenital horizontal nystagmus, 236
and degree of deviation, 120
vs. lateral rectus recessions, in pseudodivergence excess, 48
proportions in exodeviations, 124
in right sixth nerve palsy, 150
Rectus muscle, displacement and recession of, 69
Re-education in the Treatment of Amblyopia, 251
Refixation, 9
Refraction, inadequate, and orthoptics, 302
Refractive accommodative esotropia, 24
Refractive corrections, and prism effects, 270
Resection
bimedial rectus, 116
right lateral rectus, 150
of superior-oblique muscle, 78
Residual angle after surgery, 107–108, 109
Resolution, visual angle of, 313, 314–315
Retarded child, strabismus in, and occlusion amblyopia therapy, 253
Retina
nasal, 277, 278
tapetoretinal degeneration of, and pendular nystagmus, 180
temporal, 277, 278
Retinal aplasia, 180
Retinal correspondence
abnormal, prisms in, 289
role of orthoptics in, 300
anomalous, 5, 237–238
and angle of strabismus, 244
harmonious, 239–240
prevention of, 105, 106, 108
prism test for, 243, 244
tests for, 238–239
and base-out prisms, 274
duality of, 114
in intermittent exotropia, 306
in orthotropia, 286
postoperative normal, 239
and preparation for prism therapy, 286
and prisms, 283
Retinal reafference, 4
Retroillumination, examination by, 181
Rubella cataract extraction, 229

Scars, conjunctival, elimination of, 235
Scleral attachment
in A esodeviation, 232, 233
and recession operation, 231
Scotoma, fixation-point, of deviating eye, 9, 10
See-saw movements. *See* Deviation, dissociated ocular
Sehrichtungsgemeinschaft, 5, 8
Sensory adaptation
forecasting of, 237
phenomena, 112
Sensory anomalies, 320
Sensory dissociation, of tests, 238–239, 244
Sensory function, four parameters of, 96–98
Sensory impression. *See* Mechanism #3 of Goldmann
Sensory-motor adaptational phenomena, 112
Sensory pathways, in comitant esotropia, 30 degrees deviation, 98, 99
Sensory profile, preoperative, 244–245
Sensory relationship, in preparation for prism therapy, 286
Sensory state, and control of deviation, 114
Sensory status, deeply rooted,

237–238
Separation difficulties, in amblyope, 318
Silicon, in orbital implants, 209
Simultaneous perception, stabilization of, in treatment of heterophoria, 297
Sjögren hand-direction, 308
Sloan letters, 311
Soflens (Bausch and Lomb, Inc.), 226
Space perception, visual, 2, 5
Spectacle frames, application of tape to, 247
Spectacle lens, and response to accommodative stimulus, 218, 219, 220, 221
Spectacle loan service, 285
Spectacles, incorporation of prisms, 284
Squint. *See also* Strabismus
  accommodative, vs. congenital, 35
    diagnosis of, 27
    intermittent stage of, 28–29
  alternating, 10, 150
  congenital, alternating, 90, 91
    therapy for, 91–92
  diplopia in, 19
  early-delayed treatment, 105–106
  early treatment, 104
  late treatment, 104–105
  sensory adaptational phenomena, treatment for, 272–276
Squinter, reactions to inverted or reverse prisms, 269
Stabilization
  of motor impulses of A, as early learning process, 32
  sensory-motor, three promoting factors of, 35
Stabilized accommodative squint, 27
Starkiewicz's method for retinal correspondence, 286
Stereograms, 16, 17
Stereopsis, 6, 16
  tests for degree of, 93
Strabismus. *See also* Squint
  adaptational phenomena, 273
  angle of, and anomalous correspondence, 238
  concomitant, and constant wearing of prisms, 283
  congenital, bifoveal fixation in, 72
  early-delayed treatment, analysis of results, 107–108
    classification of results, 107
  full accommodative, cure, 71
  of intermediate degree, sensory status, 241
  large-angle, and suppression, 240, 241
  maximum angle of, 114
  secondary operations, 230
  small-angle, 113
    vs. large-angle, 241–242
    and true anomalous binocular vision, 240
  and treatment of amblyopia, 255
Strabismus sursoadductorius, vs. alternating sursumduction, 72
Stress and strain, and jerky nystagmus, 178
Striated-glass test, 245, 274, 275
  in anomalous binocular vision, 242, 244
"Sun setting" phenomenon, 89
Superior colliculi, and vertical movement, 186
Superior-oblique
  increasing intorsional action of, 156
  paralysis of, after accident, 195
  strengthening procedures on, 135, 142
  two main actions of, 127
Superior-oblique overaction, secondary A pattern with, 125–126
Superior-oblique tendon, tucking of, 133
Suppression
  elimination of, in treatment of heterophoria, 297
  as sensory reaction, 240

Suppression, as sensory reaction—*Continued*
in children, 239
Suprasellar lesion, in see-saw nystagmus, 184
Surgery
asymmetrical vertical, 67
bilateral symmetrical, 116
in congenital squint, 92
cosmetic, in abnormal retinal correspondence, 289
cosmetic results, and successful treatment of amblyopia, 255
in esotropia, 288
exodeviation, cases of one operation, 121
computation of amount, 120
three surgical procedures, 122
two surgical procedures, 122
horizontal, data on, 47, 48, 49
in intermittent exotropia, 115, 307
and large A and V pattern, 75
large-angle vs. small-angle strabismus, 242
muscle, 203, 210
after cataract extraction, 226
in nystagmus, 236
in normosensorial essential late strabismus, 71
oblique, 68
ocular muscle, number of stages of, 147
ocular palsy from, 149
following orbital fracture, 212
"self-grading," 126
superior-oblique, 135
symmetrical, 118–119
in traumatic palsies, 152–176
Surgical procedures
multistage, 161–168
planning of, 95
Sursumduction, alternating, 72, 88, 90, 94, 144
angle of deviation in, 145
Sutures, Friedenwald-Guyton, 128
Symblepharon, hidden, and diplopia, 196, 198
Symbol test, individual, as measure of visual acuity, 315
Symposium on Strabismic Amblyopia, 1
Synaptic connections, in normal person, 98
Synoptophore measurements
in brain-stem lesion diagnosis, 169
after surgery, 160, 163, 165, 170
before surgery, 157, 161, 165, 170, 173

Tarsorrhaphy, 210
Teenagers, and anisometropic glasses, 255–256
Teflon, in orbital implants, 209
Teflon sheet, in orbital implants, 209
Tenectomy
intrasheath, 135
superior-oblique, converting A to V pattern, 76
criteria for, 77
technique for, 136–141, 142–143
Tenotomy
central, as primary procedure, 232
technique for, 230–232
intrasheath, 77
oblique, case history, 233
partial, 230
Tests, dissociating, 293. *See also names of specific tests*
Thyroid stimulator, long-acting (LATS), in Graves' disease, 203
Thyroxine (T4), 202, 203
Titmus stereo testers, 93
Torsional diplopia, 150
Torsional imbalance, in paresis, 132
Torsional problems, and horizontal recti, 79
Torticollis, 82, 83
Touch, exploration by. *See* Localization, relative tactile
Traffic accidents, ocular palsy from, 148
Transplants, superior-oblique, 125
Trauma, and ocular palsies, 146

Trial case for prisms, 284
Triiodothyronine (T3), 202, 203
Trochlea, lesion of, 195, 196
Tucking operation, of superior oblique muscle, 78, 133, 135
Tumor(s)
  causing diplopia, 196, 198
  malignant, and orbital diplopia, 201

Undercorrection
  in amblyopia, 101
    in young children, 255

V phenomena, surgical correction of, 70
Vergence response, and pinhole contact lens, 57
Vertical component, in squint, 109
Vertical deviation, 132
Vertical movements, "center" for, 185–186
Vertical phorias, prisms in, 293
Vision
  binocular. *See* Binocular vision
  in congenital jerky nystagmus, 178
Vision-chart projector distance, 309
Vision-chart symbol size, standardization of, 308
Visual acuity, 5
  in anisometropic amblyopia, 251
  and contour interaction, 13
  improvement in, with occlusion therapy, 255
    with pleoptics, 247, 248
  and success of prism therapy, 285
  testing of, 308–318
    single *E* test vs. full-line vision tests, 315
Visual direction, principal, 8
  of fovea, 303
von Noorden, G. K., 7, 10, 11

Washington University School of Medicine, Ocular Motility Clinic, 47
Weakening, vs. strengthening, of overacting obliques for A or V correction, 78
Werner's opposing contours (stereogram), 17
  and contralateral contour interaction, 19 n
Wirt stereo test, 116
Worth stereo test, 93

X syndromes. *See* Exodeviation

Zurich University Clinic, 70